

Cordless

ZM-800



CMBP-6CL



Features	ZM-800.6	CMBP-6CL
Battery Pack	Powerful 44-Volt Lithium Ion Interchangeable Battery. 2.9 Ah/128 Wh. Approx. 50 Minutes of Vacuuming per Charge**	36-Volt Lithium Ion Interchangeable Battery pack. 360 Wh/10Ah. Approx. 60 Minutes of Vacuuming per Charge**
Motor	480 Watts	8.5 AMPS
Motor Protection	Yes	Yes
Filtration	HEPA Media Standard	Paper Bag, HEPA Media Filter
Bottom Plate	Polycarbonate with a Squeegee	-
Brushroll	Wood	-
Tools	-	3 Carpet Tools, a Bare Floor Tool, Dusting Brush, Upholstery Tool and a Crevice Tool
Wheels	6 Rubber Wheels	-
Nozzle	13" with Clear Bumper	-
Headlight	Ultra-Bright LED Headlight	-
Carry Handle	Yes	Yes
Auto Height Adjustment	Yes	-
Decibel Rating	Less than 70 dBA	Less than 70 dBA
Warranty	1-Year	1-Year
Compatibility	-	-
Certifications	LEED Qualifying UL Approved Carpet and Rug Institute Seal of Approval - Bronze	ETL Approved Carpet and Rug Institute Seal of Approval - Silver

PRODUCT LINE

CLEANMAX

ZOOM



Features	ZM-200	ZM-500	ZM-700
Motor	5.5 AMPS	5.5 AMPS	5.5 AMPS
Motor Protection	Circuit Breaker	Circuit Breaker	Circuit Breaker
Belt Protection	-	-	Lifetime Belt with Hall™ Sensor
Filtration	Micron Standard with HEPA Media Option	HEPA Media Standard	HEPA Media Standard
Outer Bag	Cloth	Cloth	Cloth
Fan Diameter	3.75"	3.5"	3.5"
Handle Tube	Metal	Metal	Metal
Brushroll	Wood	Wood	Steel with Replaceable Brushstrips
Cord Hook	Metal	Metal with Quick Cord Release	Metal with Quick Cord Release
Power Cord	35' Commercial Grade Cord	30' Commercial Grade Cord with 6.5" Pigtail	30' Commercial Grade Cord with 6.5" Pigtail
On/Off Switch	On Nozzle	On Handle	On Handle
Speed Selector	-	Two Speeds	Two Speeds
Wheels	Non-Marking Rubber	Non-Marking Rubber	Non-Marking Rubber
Nozzle	13"	13"	13"
Bare Floor Squeegee	-	Yes, Rubber	Yes, Rubber
Edge Cleaning	Front & Side	Front & Side	Front & Side
Height Adjustment	Automatic	Automatic	Automatic
CFM Average (motor)	115	115	115
Weight	8 lbs.	8 lbs.	9 lbs.
Warranty	1-Year	1-Year	1-Year
Certifications	UL Approved Carpet and Rug Institute Seal of Approval - Gold	UL Approved Carpet and Rug Institute Seal of Approval - Gold LEED Qualifying (low speed)	UL Approved Carpet and Rug Institute Seal of Approval - Gold LEED Qualifying (low speed)

PRO-SERIES



Features	CMP-3N	CMP-3T	CMP-3QD	CMPS-QDZ
Motor	10 AMPS, Capped, 2 Stage	10 AMPS, Capped, 2 Stage	10 AMPS, Capped, 2 Stage	12 AMPS, Capped
Motor Protection	Thermal & Pressure Activated			
Belt Protection	-	-	-	Lifetime Belt with Hall™ Sensor
Filtration	HEPA Media Bag & Filter			
Handle Tube	Metal	Metal	Metal	Metal
Bottom Plate	Metal	Metal	Metal	Metal
Brushroll	Glass Filled Polycarbonate	Glass Filled Polycarbonate	Metal with Replaceable Brushstrips	Metal with Replaceable Brushstrips
Brush Bearings	Ball Bearings	Ball Bearings	Ball Bearings	Ball Bearings
Cord Hook	Metal	Metal	Metal	Solid, Integrated
Power Cord	(2) 30' Commercial Grade Cords with 6.5" Pigtail	(2) 30' Commercial Grade Cords with 6.5" Pigtail	(2) 30' Commercial Grade Cords with 6.5" Pigtail	(2) 30' Commercial Grade Cords with 6.5" Pigtail
On-Board Tools	-	Metal Telescopic Wand and 10' Cleaning Reach	Quick Draw System, Aluminum Telescopic Wand and 12' Cleaning Reach	Quick Draw System, Aluminum Telescopic Wand and 12' Cleaning Reach
Wheels	4 Rubber Wheels with Brass Bushings			
Nozzle	14" with Riveted Bumper			
Edge Cleaning	Front and Side	Front and Side	Front and Side	Front and Side
Height Adjustment	Automatic	Automatic	Automatic	Automatic
CFM Average (motor)	107	107	107	112
IOW (motor)	110	110	110	115
Handle Weight	Less than 1 lb.			
Warranty	1-Year Main Body, 2-Year Motor			
Certifications	LEED Qualifying ETL Approved Carpet and Rug Institute Seal of Approval - Silver	LEED Qualifying ETL Approved Carpet and Rug Institute Seal of Approval - Silver	LEED Qualifying ETL Approved Carpet and Rug Institute Seal of Approval - Silver	LEED Qualifying ETL Approved Carpet and Rug Institute Seal of Approval - Silver

PRODUCT LINE

CLEANMAX

